



HAINES EDUCATIONAL



**NO SMOKING
NO IGNITION SOURCES
WITHIN 3 m**

SAFETY CAN

**JUSTRITE®
SAFETY CAN**

**JUSTRITE DANGEROUS GOODS &
SAFETY STORAGE CABINETS**

Flammable Safety Storage Cabinets provide a safe, close-by, secure and time-saving method for storing all types of dangerous chemicals and help you to maintain good housekeeping practices. All Justrite cabinets are fire tested to comply with the FM rating, something no other cabinet sold in Australia can claim, they also not only comply, but exceed Australian Standard AS1940. They help companies by providing product near to the workplace thus avoiding the time consuming and often risky practice of collecting from an outside storage facility.

Fully welded construction - 1.2mm steel - Double wall - 40mm thermal barrier

Superior electrostatic high gloss powder coat paint finish / Dual vents with built in flash arresters

Close fitting, sequential self closing and latching doors / 3 point locking mechanisms

Leakproof fully welded 150mm deep containment sump / Shelves with built in troughs to contain spills

Adjustable shelf height increments to maximise space storage

Adjustable levelling feet to prevent doors binding

Fire tested, FM Approved exceeds AS1940 compliance



INDUSTRIAL SAFETY CAN STORAGE



Safety Can Storage
CAT.NO. AU25602
350Lt Capacity

3 Shelves / 15 x 20 Litre Drums



Safety Can Storage
CAT.NO. AU25452
250Lt Capacity

3 Shelves / 9 x 20 Litre Drums



Safety Can Storage
CAT.NO. AU25302
160Lt Capacity

2 Shelves / 6 x 20 Litre Drums



Safety Can Storage
CAT.NO. AU25712
60Lt Capacity

2 Shelves

DRUM SAFETY STORAGE

COMPAC SAFETY CAN STORAGE



Under Bench Storage
CAT.NO. AU25748
100Lt Capacity

2 Shelves



Compac Storage
CAT.NO. AU25714
30Lt Capacity

2 Shelves



Horizontal Drum Storage
CAT.NO. AU25662
207Lt Capacity

2 Door



Vertical Drum Storage
CAT.NO. AU25701
207Lt Capacity

2 Door with rollers



New Slim Line
Storage Cabinets
CAT.NO. AU25304 / AU25308
Capacity: 110 & 170 Litre

Drum Cabinets ... Yellow Powder Paint Finish		Approval	Weight	H x W x D mm
AU25662	207 Litre Horizontal Drum , 2 Door		68.3	1385 x 765 x 1225
AU25701	207 Litre Vertical Drum, 2 Door with base Rollers		192.8	1760 x 870 x 870
AU25701W	207 Litre Vertical Drum, 2 Door for Waste Products		170.0	1760 x 870 x 870
Storage Cabinets...Yellow Powder Paint Finish				
AU25302	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25452	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25602	350 Litre, 3 Shelves, 2 Door , 15 x 20 Litre Drums	FM	177.8	1760 x 870 x 870
Under Bench Cabinet...Yellow Powder Paint Finish				
AU25748	100 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
Compac Storage Cabinet...Yellow Powder Paint Finish				
AU25712	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465
Slim Line Storage Cabinet...Yellow Powder Paint Finish				
AU25304	110 Litre, 2 Shelves, 1 Door	FM	95.0	1230 x 670 x 465
AU25308	170 Litre, 3 Shelves, 1 Door	FM	105.0	1760 x 670 x 465

CORROSIVE STORAGE CABINETS



Corrosive Substance Storage Cabinets have a Polyethylene tray on each shelf to collect any accidental spillages. Designed to withstand fire these cabinets provide a safe environment to store most corrosive chemicals. If you need to store chemicals such as Phenol, Nitric Acid, Sulphuric Acid or other substances with highly corrosive vapours, we suggest you look at the all Polyethylene Cabinets.

These Cabinets are manufactured to comply with AS 3780 for the safe storage of Corrosive Substances.



Storage Cabinet
CAT.NO. AU25602B
Capacity 350 Lt
3 Shelves
15 x 20 Litre Drums



Storage Cabinet
CAT.NO. AU25452B
Capacity 250 Lt
3 Shelves
9 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25302B
Capacity 160 Lt
2 Shelves
6 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25748B
Capacity 100 Lt
2 Shelves



Storage Cabinet
AU25712B - Capacity 60 Lt
AU25714B - Capacity 30 Lt
Single Door, 2 shelves



Polyethylene Storage Cabinet
CAT.NO. 24160
Capacity: 30 Lt
2 Shelves



Polyethylene Storage Cabinet
CAT.NO. AU24040
1 Shelf

Corrosives Storage Cabinets

Approval

Weight Kg

H x W x D mm

Blue Powder Paint Finish

AU25602B	350 Litre, 3 Shelves, 2 Door, 15 x 20 Litre Drums	FM	177.8	1760 x 870 x 870
AU25452B	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	43.8	1760 x 1100 x 465
AU25302B	160 Litre, 2 Shelves 2 Door, 6 x 20 Litre Drums	FM	109.8	1230 x 1100 x 465
AU25748B	100 Litre, 2 Shelves, 2 Door	FM	86.1	800 x 920 x 565
AU25712B	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714B	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465

Blue Polyethylene Construction

24040	15 Litre, 1 Door, 1 Shelf	14.0	500 x 365 x 415
24160	30 Litre, 2 Door, 2 Shelves	59.0	890 x 920 x 565

Organic Peroxide Storage Cabinets

These Cabinets are designed to comply with AS 2714 and have a sump capacity equal to the total of the contents of the Cabinet. They are designed so that in the event of pressure build up the doors will open outwards. The doors are held closed by fiction type mechanism. For this reason the maximum capacity of a Cabinet is 100 kg or 100 L.



Storage Cabinet
CAT.NO. AU25452OP
Capacity 100 Litre
3 Shelves



Storage Cabinet
CAT.NO. AU25302OP
Capacity 80 Litre
2 Shelves



Storage Cabinet
CAT.NO. AU25748OP
Capacity 60 Litre
2 Shelves



Storage Cabinet
CAT.NO. AU25712OP
Capacity 50 Lt
Single Door

Organic Peroxide Storage Cabinets

Approval

Weight Kg

H x W x D mm

Yellow Powder Paint Finish

AU25452OP	100 Litre, 3 Shelves, 2 Door,
AU25302OP	80 Litre, 2 Shelves, 2 Door,
AU25748OP	50 Litre, 2 Shelves, 2 Doors
AU25712OP	50 Litre, 2 Shelves, 1 Door

FM	142.0
FM	104.8
FM	86.1
FM	59.0

1760 x 1100 x 465
1230 x 1100 x 465
800 x 920 x 565
1005 x 595 x 465

Pesticide Storage Cabinets

These Cabinets are manufactured for the safe storage of Pesticides. A Safety Shower and Eye/Wash must be installed where packages are opened.



Storage Cabinet
CAT.NO. AU25602P
Capacity: 350 Litre
3 Shelves
15 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25452P
Capacity: 250 Litre
3 Shelves
9 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25302P
Capacity: 160 Litre
2 Shelves
6 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25748P
Capacity: 100 Litre
2 Shelves

Pesticide Storage Cabinets

Approval

Weight Kg

H x W x D mm

Storage Cabinets...Green Powder Paint Finish

AU25602P	250 Litre, 3 Shelves, 2 Door, 12 x 20 Litre Drums
AU25452P	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums
AU25302P	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums
AU25748P	100 Litre, 2 Shelves, 2 Door,

FM	177.8
FM	142.0
FM	104.8
FM	86.1

1760 x 870 x 870
1760 x 1100 x 465
1230 x 1100 x 465
800 x 920 x 565

INNOVATIVE SOLUTIONS FOR THE HANDLING AND STORAGE OF DANGEROUS GOODS

Toxic Substances Storage Cabinet

These Cabinets are manufactured for the safe storage of Toxic / Poisons. A Safety Shower and Eye / Wash must be installed where packages are opened. Comply with AS/NZ 4452 - Class 6



Storage Cabinet
CAT.NO. AU25452T
Capacity 250 Litre
3 Shelves
9 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25302T
Capacity 160 Litre
2 Shelves
6 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25748T
Capacity 100 Litre
2 Shelves



Storage Cabinet
AU25712T Capacity 60 Lt
AU25714T Capacity 30 Lt
Single Door



Substance Storage Cabinets

		Approval	Weight Kg	H x W x D mm
AU25452T	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25302T	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	109.8	1230 x 1100 x 465
AU25748T	100 Litre, 2 Shelves, 2 Doors	FM	86.1	800 x 920 x 565
AU25712T	60 Litre, 2 Shelves, 1 Door	FM	59.0	1005 x 595 x 465
AU25714T	30 Litre, 2 Shelves, 1 Door	FM	45.0	800 x 595 x 465

Oxidising Agents Storage Cabinets

These Cabinets are manufactured for the safe storage of Oxidising Agents. A Safety Shower and Eye/Wash must be installed where packages are opened. Comply with AS 4326 - Class 5.1



Storage Cabinet
CAT.NO. AU25452OA
Capacity: 250 Litre / 3 Shelves
9 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25302OA
Capacity: 160 Litre / 2 Shelves
6 x 20 Litre Containers



Storage Cabinet
CAT.NO. AU25748OA
Capacity: 100 Litre / 2 Shelves



Storage Cabinet
CAT.NO. AU25712OA Capacity 60 Lt
CAT NO. AU25714OA Capacity 30 Lt
Single Door



Oxidising Agents Storage Cabinets

Storage Cabinets... Yellow Powder Paint Finish

		Approval	Weight Kg	H x W x D mm
AU25452OA	250 Litre, 3 Shelves, 2 Door, 9 x 20 Litre Drums	FM	142.0	1760 x 1100 x 465
AU25302OA	160 Litre, 2 Shelves, 2 Door, 6 x 20 Litre Drums	FM	104.8	1230 x 1100 x 465
AU25748OA	100 Litre, 2 Shelves, 2 Door,	FM	86.1	800 x 920 x 565
AU25712OA	60 Litre, 2 Shelves, Single Door	FM	59.0	1005 x 595 x 465
AU25714OA	30 Litre, 2 Shelves, Single Door	FM	45.0	800 x 595 x 465



Fusible links hold doors wide open and melts at 74°C for automatic closure (on self-close models).



Patented concealed self-close mechanism provides obstruction free access to top shelf space. Self-indexing doors guarantee they will close in sequence and assure a tight closure from top to bottom (on self-close models).



Rounded safety corners on doors reduce accidental nicks or cuts and potential hand injury.



Haz-Alert™ Reflective labeling provides high visibility in the dark under fire conditions or power outage when illuminated by a flashlight beam. Patent Pending.

Minimal air-gaps provide better protection.

Double wall thermal barrier. 1.2mm sheet steel thickness with 40mm wall spacing.

Easy close, selflatching doors.

Fully-welded (not riveted) construction holds squareness for longer life, offering greater protection in a fire since air gaps are reduced.

Continuous piano hinge provides smooth closure.

Built-in grounding connector (on outside side panel) for easy grounding.

Dual vents with builtin flame arresters strategically placed at bottom and opposite top are welded, not screwed in place.


Durable and chemical resistant, hybrid leadfree powder coat paint finish, inside-and-out, retains high gloss look and minimizes the effects of corrosion and humidity.



Adjustable leveling feet for stability on uneven surfaces.



Welded shelf hangers interlock with shelf to offer maximum "no slip" stability... and no flimsy brackets to lose.



Stainless steel, three-point bullet self-latching system provides easy, fail-safe, positive door closure with increased heat resistance.



Exclusive U-Loc™ Padlockable Handle. Optional padlock allows for extra security and keycoding multiples for convenient access. Flush paddle handle with slip resistant grip offers easy fingertip operation and reduces dangerous "catches" from passing traffic. Double key set included for keyed lock. Patent Pending



Exclusive SpillSlope™ safety shelves direct spills to back and bottom of leak proof sum Heavy-gauge galvanized steel shelves are bi-directional and easily adjust on 76mm centers for versatile storage. Each cabinet is provide stand with 150 mm deep sump to contain spills or leaks within the cabinet.

CABINET DIMENSIONS

Model Number	Capacity	Shelves	Doors H x W x D	External Measurement H x W x D	Internal Measurement
AU25602	350	3	2	1760 x 870 x 870	1520 x 785 x 785
AU25452	250	3	2	1760 x 1100 x 465	1520 x 1020 x 375
AU25302	160	2	2	1230 x 1100 x 465	990 x 1020 x 375
AU25304	110	2	1	1230 x 670 x 465	990 x 590 x 375
AU25308	170	3	1	1760 x 670 x 465	1520 x 590 x 375
AU25748	100	2	2	800 x 920 x 565	560 x 830 x 480
AU25712	60	2	1	1005 x 595 x 465	765 x 505 x 375
AU25714	30	2	1	800 x 595 x 465	560 x 505 x 375
AU25716	15	1	1	560 x 595 x 460	425 x 505 x 375
AU25701	250		2	1760 x 870 x 870	1520 x 785 x 785
AU25662	250		2	1385 x 765 x 1225	1145 x 685 x 1145
24040	8		1	500 x 365 x 415	380 x 285 x 330
24120	15		2	470 x 610 x 410	350 x 560 x 360
24140	90	1	2	908 x 915 x 560	758 x 865 x 510
24150	120	2	2	1525 x 1070 x 455	1375 x 1020 x 405
24160	30	2	2	890 x 920 x 600	720 x 805 x 475

All types of cabinets have the same external measurements. The internal measurements shown are for "Flammable, Corrosive, Poison or Pesticide cabinets". For details on Organic Peroxides and Oxidising Agents please contact your nearest office for customer service.

JUSTRITE SAFETY CAN STORAGE SOLUTIONS

FLAMMABLE SAFETY STORAGE CANS & PRODUCTION SAFETY EQUIPMENT

Fire protective storage of flammables. Heavy-duty with double-seamed construction. All models have built in flash arresters to eliminate the risk from flashback causing explosion.



SAFETY STORAGE CANS



SAFETY FUNNELS



POLYETHYLENE CANS



OILY WASTE CANS



SAFETY DISPENSING CANS



SHELF DISPENSING



PLUNGER CANS



BENCH CANS



DISPOSAL CANS



FITTINGS



RETRACTABLE STATIC GROUNDING REELS



BONDING WIRE ASSEMBLIES

52 GILBERT PARK DRIVE KNOXFIELD VIC 3180
(03) 8736 6000 sales@haines.com.au
(03) 8736 6020 www.haines.com.au



HAINES
EDUCATIONAL